

IN THE UNITED STATES DISTRICT COURT  
FOR THE NORTHERN DISTRICT OF GEORGIA  
ATLANTA DIVISION

YVONNE BROWN,

Plaintiff,

v.

MEHR & SONS ENTERPRISES,  
INC.,

Defendant.

)  
)  
)  
)  
)  
)  
)  
)  
)  
)

CIVIL ACTION

FILE No. \_\_\_\_\_

**COMPLAINT**

COMES NOW, YVONNE BROWN, by and through the undersigned counsel, and files this, her Complaint against Defendant MEHR & SONS ENTERPRISES, INC. pursuant to the Americans with Disabilities Act, 42 U.S.C. § 12181 *et seq.* (“ADA”) and the ADA’s Accessibility Guidelines, 28 C.F.R. Part 36 (“ADAAG”). In support thereof, Plaintiff respectfully shows this Court as follows:

**JURISDICTION AND VENUE**

1. This Court has original jurisdiction over the action pursuant to 28 U.S.C. §§ 1331 and 1343 for Plaintiff’s claims pursuant to 42 U.S.C. § 12181 *et seq.*, based upon Defendant’s failure to remove physical barriers to access and violations of Title III of the ADA.

2. Venue is proper in the federal District Court for the Northern District of Georgia, Atlanta Division.

### **PARTIES**

3. Plaintiff YVONNE BROWN (hereinafter “Plaintiff”) is, and has been at all times relevant to the instant matter, a natural person residing in Douglasville, Georgia (Douglas County).

4. Plaintiff suffers from Epilepsy, Multiple Sclerosis (“MS”) and has suffered multiple injuries resulting in irreversible damage to her legs, and is disabled as defined by the ADA.

5. Plaintiff is required to traverse in a wheelchair and is substantially limited in performing one or more major life activities, including but not limited to: walking and standing.

6. Plaintiff uses a wheelchair for mobility purposes.

7. Defendant MEHR & SONS ENTERPRISES, INC. (hereinafter “Defendant”) is a Georgia corporation that transacts business in the state of Georgia and within this judicial district.

8. Defendant may be properly served with process via its registered agent for service, to wit: Shehzada Mehr, 5815 Stewart Parkway, Douglasville, Georgia 30135.

### **FACTUAL ALLEGATIONS**

9. On multiple occasions, including, but not limited to, on or about February 16, 2023, Plaintiff was a customer at “DQ,” a business located at 5815 Stewart Parkway, Douglasville, Georgia 30135.

10. Defendant is the owner (or co-owner) of the real property and improvements that are the subject of this action. (The structures and improvements situated upon said real property shall be referenced herein as the “Facility,” and said real property shall be referenced herein as the “Property”).

11. Plaintiff lives approximately three (3) miles from the Facility and Property.

12. Plaintiff’s access to the business located at 5815 Stewart Parkway, Douglasville, Georgia 30135 (identified by Douglas County Property Appraiser’s parcel number 01300250084), and/or full and equal enjoyment of the goods, services, foods, drinks, facilities, privileges, advantages and/or accommodations offered therein were denied and/or limited because of her disabilities, and she will be denied and/or limited in the future unless and until Defendant is compelled to remove the physical barriers to access and correct the ADA violations that exist at the Facility and Property, including those set forth in this Complaint.

13. Plaintiff has visited the Facility and Property at least once before and

intends on revisiting the Facility once the Facility and Property are brought into compliance with the 2010 ADAAG standards.

14. Plaintiff intends to revisit the Facility and Property to purchase goods and/or services.

15. Plaintiff travelled to the Facility and Property as a customer and as an advocate for the disabled, encountered the barriers to her access of the Facility and Property that are detailed in this Complaint, engaged those barriers, suffered legal harm and legal injury, and will continue to suffer such harm and injury as a result of the illegal barriers to access present at the Facility and Property.

**COUNT I**  
**VIOLATIONS OF THE ADA AND ADAAG**

16. On July 26, 1990, Congress enacted the Americans with Disabilities Act 42 U.S.C. § 12101 *et seq.* (the “ADA”).

17. The ADA provided places of public accommodation one and a half years from its enactment to implement its requirements.

18. The effective date of Title III of the ADA was January 26, 1992 (or January 26, 1993 (if a defendant has 10 or fewer employees and gross receipts of \$500,000 or less). 42 U.S.C. § 12181; 28 C.F.R. § 36.508(a).

19. The Facility is a public accommodation and service establishment.

20. The Property is a public accommodation and service establishment.

21. Pursuant to the mandates of 42 U.S.C. § 12134(a), on July 26, 1991, the Department of Justice and Office of Attorney General promulgated federal regulations to implement the requirements of the ADA. 28 C.F.R. Part 36.

22. Public accommodations were required to conform to these regulations by January 26, 1992 (or by January 26, 1993 if a defendant has 10 or fewer employees and gross receipts of \$500,000 or less). 42 U.S.C. § 12181 *et seq.*; 28 C.F.R. § 36.508(a).

23. Liability for violations under Title III or the ADA falls on “any person who owns, leases (or leases to), or operates a place of public accommodation.” 42 U.S.C. § 12182(a).

24. The Facility must be, but is not, in compliance with the ADA and ADAAG.

25. The Property must be, but is not, in compliance with the ADA and ADAAG.

26. Plaintiff has attempted to, and has to the extent possible, accessed the Facility and the Property in her capacity as a customer of the Facility and Property, and as an advocate for the disabled, but could not fully do so because of her disabilities resulting from the physical barriers to access, dangerous conditions and ADA violations that exist at the Facility and Property that preclude and/or limit her

access to the Facility and Property and/or the goods, services, facilities, privileges, advantages and/or accommodations offered therein, including those barriers, conditions and ADA violations more specifically set forth in this Complaint.

27. Plaintiff intends to visit the Facility and Property again in the future as a customer and as an advocate for the disabled in order to utilize all of the goods, services, facilities, privileges, advantages and/or accommodations commonly offered at the Facility and Property, but will be unable to fully do so because of her disability and the physical barriers to access, dangerous conditions and ADA violations that exist at the Facility and Property that preclude and/or limit her access to the Facility and Property and/or the goods, services, facilities, privileges, advantages and/or accommodations offered therein, including those barriers, conditions and ADA violations more specifically set forth in this Complaint.

28. Defendant has discriminated against Plaintiff (and others with disabilities) by denying her access to, and full and equal enjoyment of the goods, services, facilities, privileges, advantages and/or accommodations of the Facility and Property, as prohibited by, and by failing to remove architectural barriers as required by, 42 U.S.C. § 12182(b)(2)(A)(iv).

29. Defendant will continue to discriminate against Plaintiff and others with disabilities unless and until Defendant is compelled to remove all

physical barriers that exist at the Facility and Property, including those specifically set forth herein, and make the Facility and Property accessible to and usable by Plaintiff and other persons with disabilities.

30. A specific list of unlawful physical barriers, dangerous conditions and ADA violations which Plaintiff experienced and/or observed that precluded and/or limited Plaintiff's access to the Facility and Property and the full and equal enjoyment of the goods, services, facilities, privileges, advantages and accommodations of the Facility and Property include, but are not limited to:

**(a) EXTERIOR ELEMENTS:**

- (i) The accessible parking spaces on the Property are missing proper identification signage, in violation of section 502.6 of the 2010 ADAAG standards.
- (ii) One of the two accessible parking spaces on the Property has inadequate dimensions, in violation of section 502.2 of the 2010 ADAAG standards.
- (iii) The access aisle adjacent to the accessible parking spaces on the Property is not level due to the presence of a ramp within the boundaries of said access aisle, in violation of section 502.4 of the 2010 ADAAG standards.

- (iv) The above-described ramp servicing the Property lacks finished edges (or edge protection), in violation of section 405.9 of the 2010 ADAAG standards.
- (v) The Property lacks an accessible route connecting accessible facilities, accessible elements and/or accessible spaces of the Property and/or Facility, in violation of section 206.2.2 of the 2010 ADAAG standards. Specifically, there is no accessible route to the exterior seating area provided on the Property. Moreover, the exterior seating area on the Property has ground surfaces that are broken and not level, containing a multitude of vertical rises in excess of ¼” (one quarter inch), in violation of sections 302 and 303 of the 2010 ADAAG standards.

**(b) INTERIOR ELEMENTS:**

- (i) The Facility lacks restrooms signage that complies with sections 216.8 and 703 of the 2010 ADAAG standards.
- (ii) The doors to the restrooms in the Facility each require an opening force in excess of 5 lbs. (five pounds), in violation of section 404.2.9 of the 2010 ADAAG standards.
- (iii) The grab bars/handrails adjacent to the commodes in the



restrooms in the Facility are not positioned in accordance with sections 604.5 and 609.4 of the 2010 ADAAG standards. Specifically, the rear grab bar is too short.

- (iv) The hardware on the women's restroom door in the Facility has operable parts that require tight grasping, pinching or twisting of the wrist, in violation of section 309.4 of the 2010 ADAAG standards.
- (v) The soap dispenser in the women's restroom in the Facility is located outside the prescribed obstructed vertical reach ranges set forth in section 308.2.1 of the 2010 ADAAG standards.
- (vi) The hardware on the paper towel dispenser in the women's restroom in the Facility has operable parts that require tight grasping, pinching or twisting of the wrist, in violation of section 309.4 of the 2010 ADAAG standards.
- (vii) The mirror in the women's restroom in the Facility exceeds the maximum permissible height set forth in section 603.3 of the 2010 ADAAG standards.
- (viii) There is inadequate clear turning space in the accessible toilet stall in the men's restroom in the Facility, in violation of

section 603.2.1 of the 2010 ADAAG standards.

- (ix) The accessible toilet stall door in the men's restroom in the Facility is not self-closing, in violation of section 604.8.2.2 of the 2010 ADAAG standards.
- (x) The men's restroom in the Facility has a pedestal sink that provides for inadequate knee and toe clearance thereunder, in violation of sections 305, 306 and 606.2 of the 2010 ADAAG standards.

31. Without limitation, the above-described violations of the ADAAG made it more difficult for Plaintiff to find and utilize an accessible parking space on the Property, more difficult for Plaintiff to exit and re-enter her vehicle while on the Property, more difficult and dangerous for Plaintiff to utilize the ramp servicing the Property, rendered the exterior seating area on the Property inaccessible to Plaintiff, and made it more difficult for Plaintiff to utilize all elements of the restroom in the Facility.

32. The violations enumerated above may not be a complete list of the barriers, conditions or violations encountered by Plaintiff and/or which exist at the Facility and Property.

33. Plaintiff requires an inspection of Facility and Property in order to

determine all of the discriminatory conditions present at the Facility and Property in violation of the ADA.

34. The removal of the physical barriers, dangerous conditions and ADA violations alleged herein is readily achievable and can be accomplished and carried out without significant difficulty or expense. 42 U.S.C. § 12182(b)(2)(A)(iv); 42 U.S.C. § 12181(9); 28 C.F.R. § 36.304.

35. All of the violations alleged herein are readily achievable to modify to bring the Facility and Property into compliance with the ADA.

36. Upon information and good faith belief, the removal of the physical barriers and dangerous conditions present at the Facility and Property is readily achievable because the nature and cost of the modifications are relatively low.

37. Upon information and good faith belief, the removal of the physical barriers and dangerous conditions present at the Facility and Property is readily achievable because Defendant has the financial resources to make the necessary modifications.

38. In instances where the 2010 ADAAG standards do not apply, the 1991 ADAAG standards apply, and all of the alleged violations set forth herein can be modified to comply with the 1991 ADAAG standards.

39. Plaintiff is without adequate remedy at law, is suffering irreparable

harm, and reasonably anticipates that she will continue to suffer irreparable harm unless and until Defendant is required to remove the physical barriers, dangerous conditions and ADA violations that exist at the Facility and Property, including those alleged herein.

40. Plaintiff's requested relief serves the public interest.

41. The benefit to Plaintiff and the public of the relief outweighs any resulting detriment to Defendant.

42. Plaintiff's counsel is entitled to recover its reasonable attorney's fees and costs of litigation from Defendant pursuant to 42 U.S.C. §§ 12188 and 12205.

43. Pursuant to 42 U.S.C. § 12188(a), this Court is provided authority to grant injunctive relief to Plaintiff, including the issuance of an Order directing Defendant to modify the Facility and Property to the extent required by the ADA.

WHEREFORE, Plaintiff prays as follows:

- (a) That the Court find Defendant in violation of the ADA and ADAAG;
- (b) That the Court issue a permanent injunction enjoining Defendant from continuing its discriminatory practices;
- (c) That the Court issue an Order requiring Defendant to (i) remove the physical barriers to access and (ii) alter the subject Facility and Property to make them readily accessible to, and useable by,

individuals with disabilities to the extent required by the ADA;

- (d) That the Court award Plaintiff's counsel reasonable attorneys' fees, litigation expenses and costs; and
- (e) That the Court grant such further relief as deemed just and equitable in light of the circumstances.

Dated: March 15, 2023.

Respectfully submitted,

/s/Craig J. Ehrlich

Craig J. Ehrlich

Georgia Bar No. 242240

The Law Office of Craig J. Ehrlich, LLC

1123 Zonolite Road, N.E., Suite 7-B

Atlanta, Georgia 30306

Tel: (404) 365-4460

Fax: (855) 415-2480

craig@ehrllichlawoffice.com

**CERTIFICATE OF COMPLIANCE WITH LOCAL RULE 5.1**

The undersigned hereby certifies that the foregoing document has been prepared in accordance with the font type and margin requirements of Local Rule 5.1 of the Northern District of Georgia, using a font type of Times New Roman and a point size of 14.

/s/Craig J. Ehrlich

Craig J. Ehrlich